



WiFi 6 high performance wireless connectivity for Small Office and Home Office (SOHO) deployments

The NETGEAR WiFi 6 AX1800 Dual Band Wireless Access Point (AP) delivers 802.11ax high performance wireless connectivity for Small Office and Home Office (SOHO) deployments and supports

dual band concurrent WiFi 6 operations at 2.4GHz and 5GHz with a combined throughput of 1.8Gbps (600Mbps at 2.4GHz and 1200Mbps at 5GHz). The WAX202 WiFi 6 Access Point provides

standalone configuration with easy setup for a reliable, 802.11ax high performance, and cost effective wireless solution.

Features

Easy to Configure

- Easy setup in minutes with intuitive Graphical User Interface (GUI)
- Comprehensive monitoring and management through a local web portal user interface

Comprehensive security

- Supports wireless security features (WPA, WPA2 and WPA3)
- MAC based Access Control List to protect against intruders
- Block unwanted sites and services

Interoperate with both new and legacy clients

- Support latest WiFi 6 802.11ax wireless clients to achieve maximum speed
- Backward compatible to allow legacy devices to connect at their fastest speed


802.11ax high performance and superior coverage

- WiFi 6 802.11ax technology
- Dual band concurrent operation between 2.4GHz and 5GHz frequency ranges
- Maximize coverage for optimal deployment for SOHO



Sample Deployment Use Cases


WAX202 Deployment Scenario



Small Offices




Dental Offices



Small Hotels

Example Application

WAX202 Deployment Scenario



Technical Specifications

Physical Characteristics

Power Supply Country-specific plug: 12V/1.5A(18W)

Physical Specifications

Dimensions (L x W x H) 9.5 x 6.7 x 2.5in
(242 x 170 x 63mm)

Weight 1.1lb (497g)

Mounting options Desktop

Network Interfaces

Ethernet Ports Four (4) 10/100/1000BASE-T Ethernet (RJ-45) port with Auto Uplink™ (Auto MDI-X)

Buttons

Hardware Buttons Default Reset

LEDs 7 LEDs (Power, Internet, LAN1, LAN2, LAN3, 2.4G, 5G)

Environmental Specifications

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -20° to 70°C (-4°F to 158°F)

Operating Relative Humidity 10-90%

Storage Humidity 5-95%

Safety Certification CB IEC60950-1, CE LVD EN62368-1

RF Characteristics

Standards IEEE 802.11ac
IEEE 802.11n 2.0
IEEE 802.11g
IEEE 802.11b
IEEE 802.11a
IEEE 802.11ax

Frequency Band 2.4GHz and 5GHz concurrent operation

Maximum Theoretical Throughput 600Mbps (2.4GHz)
1200Mbps (5.0Ghz)

Antenna Gain (Peak Gain) 2.4GHz: 1.5dBi
5.0GHz: 3.5dBi

Maximum Number of Clients 128

Network Management

Deployment options Standalone
Web UI

Security MAC Address filtering
3 SSIDs

Technical Specifications

Network Management

MAC ACL	Yes
Simultaneous Bridge/Client Association	Yes

Warranty and Support

Hardware Limited Warranty	3 years
Next-Business-Day (NBD) Replacement	Yes
Technical support (online, phone)	90 days free from date of purchase*
ProSUPPORT OnCall 24x7 Service Packs**	Category S2 PMB0S12 (1yr) PMB0S32 (2yr) PMB0S52 (5yr)

Package Contents

WAX202	WiFi 6 AX1800 Dual Band Wireless AP (WAX202) Ethernet cable Installation guide Power adapter, localized to country of sale Warranty/support information card
--------	--

Ordering Information

WAX202-100NAS
WAX202-100EUS
WAX202-100AUS

*This product comes with a limited warranty that is valid only if purchased from a NETGEAR authorized reseller, and covers unmodified hardware, fans and internal power supplies - not software or external power supplies, and requires product registration using the Insight mobile app or Insight Cloud portal within 90 days of purchase; see <https://www.netgear.com/about/warranty> for details. Intended for indoor use only.

**The NETGEAR OnCall 24x7 contract provides unlimited phone, chat and email technical support for your networking product.

NETGEAR and the NETGEAR logo are trademarks and/or registered trademarks of NETGEAR, Inc. and/or its subsidiaries in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice.
© 2021 NETGEAR, Inc. All rights reserved.